

LETTER • OPEN ACCESS

Potential of urban green spaces for supporting horticultural production: a national scale analysis

To cite this article: Lael E Walsh *et al* 2022 *Environ. Res. Lett.* **17** 014052

View the [article online](#) for updates and enhancements.

You may also like

- [Optimizing Production Planning for Tempe Babe Within Goal Programming Method](#)
Sulindawaty, Syahril Effendi, Muhammad Zalis et al.
- [Classification and Application of Tight Gas Wells Based on Cluster Analysis](#)
Zhenhua Cai, Chuanshuai Zuo, Jianying Zhu et al.
- [Reliability analysis and optimization of production system for production scheduling](#)
Weiwei Duan, Wei Dai, Yue Wang et al.

ENVIRONMENTAL RESEARCH
LETTERS

LETTER


Potential of urban green spaces for supporting horticultural production: a national scale analysis

OPEN ACCESS

RECEIVED
28 July 2021REVISED
23 December 2021ACCEPTED FOR PUBLICATION
30 December 2021PUBLISHED
14 January 2022

Original content from this work may be used under the terms of the [Creative Commons Attribution 4.0 licence](#).

Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

Lael E Walsh^{1,4,*} , Bethan R Mead², Charlotte A Hardman², Daniel Evans⁵, Lingxuan Liu¹, Natalia Falagán³, Sofia Kourmpetli³ and Jess Davies^{1,*}¹ Centre for Global Eco-innovation, Lancaster Environment Centre, Lancaster University, Cranfield, LA1 4YX, United Kingdom² Department of Psychology Sciences, University of Liverpool, Liverpool, L69 3BX, United Kingdom³ Plant Science Laboratory, Cranfield University, Cranfield, MK43 0AL, United Kingdom⁴ Horticulture Development Department, Teagasc Ashtown Research Centre, Dublin 15, Ireland⁵ School of Water, Energy and Environment, Cranfield University, Cranfield, Bedfordshire, MK43 0AL, United Kingdom

* Authors to whom any correspondence should be addressed.

E-mail: lael.walsh@teagasc.ie and jess.davies@lancaster.ac.uk**Keywords:** resilience, food sovereignty, urban agriculture, green spaces, horticultural production potential, towns and citiesSupplementary material for this article is available [online](#)**Abstract**

As urban areas and land-use constraints grow, there is increasing interest in utilizing urban spaces for food production. Several studies have uncovered significant potential for urban growing to supplement production of fruit and vegetables, focusing on one or two cities as case studies, whilst others have assessed the global scale potential. Here, we provide a national-scale analysis of the horticultural production potential of urban green spaces, which is a relevant scale for agri-food and urban development policy making using Great Britain (GB) as a case study. Urban green spaces available for horticultural production across GB are identified and potential yields quantified based on three production options. The distribution of urban green spaces within 26 urban towns and cities across GB are then examined to understand the productive potential compared to their total extent and populations. Urban green spaces in GB, at their upper limit, have the capacity to support production that is $8\times$ greater than current domestic production of fruit and vegetables. This amounts to 38% of current domestic production and imports combined, or $>400\%$ if exotic fruits and vegetables less suited to GB growing conditions are excluded. Most urban green spaces nationally are found to fall within a small number of categories, with private residential gardens and amenity spaces making up the majority of space. By examining towns and cities across GB in further detail, we find that the area of green space does not vary greatly between urban conurbations of different sizes, and all are found to have substantial potential to meet the dietary needs of the local urban population. This study highlights that national policies can be suitably developed to support urban agriculture and that making use of urban green spaces for food production could help to enhance the resilience of the national-scale food system to shocks in import pathways, or disruptions to domestic production and distribution.

1. Introduction

Meeting the dietary needs of growing urban populations in a sustainable manner presents a significant challenge, particularly under the limitations of decreasing land availability due to climate change and land degradation, and a need to preserve natural resources and protect biodiversity. Urbanization can also drive land use change and contribute

to the reduction in available land for agriculture (Satterthwaite *et al* 2010, Barthel *et al* 2019). Global projections indicate that by 2100 residential and commercial demand for urban land could range from approximately 1.1 million to 3.6 million km² (Gao and O'Neill 2020). Urban dwellers are expected to form 67% of the global population by 2050 (UN Department of Economic and Social Affairs 2018), and new urban land will need to be designated to

support this trend (Gao and O'Neill 2020). These population and land use trends are driving increasing global interest in incorporating food production into the urban landscape. For example, the intergovernmental panel on climate change highlights the role of urban agriculture (UA) in climate mitigation (IPCC 2018), the Food and Agriculture Organization (FAO) encourages integrating urban food into urban planning (Cabannes and Marocchino 2018, FAO 2021), and there is increasing recognition that small-scale food production in urban areas contributes to the sustainable development goals (Nicholls *et al* 2020). UA refers to the production of food in urban and suburban environments (Orsini *et al* 2013, 2020). Here we focus on urban horticulture specifically the production of fruit and vegetables.

Another major driver of urbanization is the need for food sovereignty, defined as locally held control over all aspects of the food system, including food markets, natural resources, food cultures and methods of food production (Wittman 2011, Lang and Barling 2012). This has become particularly apparent with the current COVID-19 crisis as interest in national self-sufficiency is growing (Garnett *et al* 2020) as a way to overcome supply chain disruptions. The United Kingdom's (UK) food supply is particularly vulnerable to food system shocks like COVID-19 and Brexit (Lang *et al* 2018, Lang and McKee 2018), as a net importer of food, with a high reliance on imported fruit and vegetables, including from drought prone countries (Hess *et al* 2016, Hess and Sutcliffe 2018) to meet a national demand deficit (de Ruiter *et al* 2016). Even more concerning: between 1996 and 2015 fresh fruit and vegetable (FF&V) imports into the UK almost doubled as shown in data from the Department of Agriculture, Food and Rural Affairs (DEFRA), and this reliance on imported food (which removes oversight in food supply), combined with unprecedented political changes and global health challenges in the UK (which disrupt supplies of imported food and hinder the flow of horticulture workers, relied upon for the production of local food in Great Britain (GB)), place the national food system at risk in terms of food access and availability. This risk is highlighted by the recent National Food Strategy (Dimpleby 2021). Poor food access and availability are recognized forms of food insecurity (Leroy *et al* 2015, Larson *et al* 2020).

A number of recent studies have indicated that the productive potential of urban areas is large and meaningful when compared to food needs. In a global scale analysis, estimates suggest that 25%–50% of the UK's urban space could be cultivated to meet the daily recommended intake of FF&V for urban dwellers (Martellozzo *et al* 2014). Another study showed that 5%–10% of the global production of pulses, roots, tubers, and vegetables could be supported by urban growing (Clinton *et al* 2018). A more geographically focused analysis of allotment areas in Sheffield,

a large UK city, found that there is more than enough land in Sheffield to support all the FF&V needs of its inhabitants. In their estimates, Sheffield has the potential to support four times the production of commercial horticulture, with significant potential to shorten supply chains and improve food access (Edmondson *et al* 2019, 2020a). Analysis of another UK city, Leicester, showed that allotment growing is as productive as commercial growing, and just 1.5% of land area there has the potential to produce FF&V for 2.6% of its population (Grafius *et al* 2020, Edmondson *et al* 2020a). These studies showed that UA can potentially supplement conventional production and food supply, and that it has a role to play in food systems resilience. However, UA potential at the national scale has yet to be addressed. This is an important knowledge gap to fill since many of the policies that enable or hinder urban food growing are made at a national level, and this scale is of most relevance within an imports and food system resilience context.

Food system resilience is the active capacity to continue to achieve goals around food security despite disturbances and shocks (Tendall *et al* 2015). These shocks may be economic in the form of increasing land prices, or environmental such as floods and droughts (Misselhorn *et al* 2012). Resilience entails building robustness (the ability to withstand disruption), recovery (the ability to quickly 'bounce back') and adaptation (the potential to re-organize) in the system (Ingram 2017). In this context there is a role for diversifying food import supply chains to withstand sudden supply shocks (Marchand *et al* 2016) as a way of contributing to robustness (Kummu *et al* 2020), so long as there is not an over-dependence on imported food, which would have the opposite effect in increasing food system vulnerability (Kummu *et al* 2020). There are also clear contributions from UA to 'adaption' in changing farm systems, diversifying food sources and increasing the number of operators (Ingram 2017), to deliver food locally and in a sustained way (Grafton *et al* 2015). Although there are challenges to overcome in urban food production i.e. food safety issues, land access and regulatory barriers (Lovell 2010, Castillo *et al* 2013).

To understand the role that urban agricultural expansion could play in national food sovereignty and resilience, we need a national-scale approach. Whilst local authorities often have significant influence over use of local land resources, many policies critical for the development of UA are made at a national level, including those relating to agricultural production and national food security, the provision of housing, education and priorities for delivering economic development, yet UA is almost absent from this policy scale (Lovell 2010, Fox-Kämper *et al* 2018, Orsini *et al* 2020). In this study, we evaluated the horticultural productive potential of urban green spaces across GB and compared this potential

to current conventional domestic production and imports to provide an insight into the relevance of UA for increasing national food self-sufficiency. We also disaggregated this analysis into urban green space categories, and examined a range of towns and cities of varying scales in order to provide insights into where changes to policy and practice could provide the most impact.

2. Methods

2.1. GB as a national scale case study

Britain constitutes an interesting national scale case study for this analysis because of its densely populated nature and low self-sufficiency for FF&V, as discussed in the introduction. As a net importer of food it is highly reliant on agricultural imports from the European Union. The UK's self-sufficiency ratio is 61% for all food and 75% for indigenous food (i.e. foods that are traditionally part of UK diets, and are currently or in the past, produced locally). A range of foods are also exported from the UK including high-value, processed products through to low-value products that fail to find a market. The main export markets are Ireland, the United States and France (National Farmers' Union of England and Wales 2017). Current projections also indicate relatively high rates of urban population growth, with 90% of the UK's population projected to live in urban areas in 2050, in comparison to the European average of 83% (UN Department of Economic and Social Affairs 2018). This exposes the UK food system to risk of labor shortages in rural locations where agriculture is traditionally located, as well as transport and supply chain disruptions, which would have the negative effect of increasing the price of food or leading to shortages of FF&V.

2.2. Estimation of urban green spaces available for horticultural production

The urban environment can offer a diverse set of spaces for the expansion of urban growing, including outdoor green spaces, brownfield sites, rooftops and facades, as well as indoor and underground spaces. Here, we focused on the horticultural potential of outdoor green spaces as they have relatively low set-up/retro-fitting costs (barring certain unique crops like apple orchards), especially when compared to vertical systems (Eaves and Eaves 2018); are comparatively easy to access; and can support a diverse range of crops relatively cheaply, without the capital and operating expenses associated with growing substrate, indoor infrastructure and energy accompanying indoor growing (Benke and Tomkins 2017, Eaves and Eaves 2018). Furthermore, green spaces currently support, to some degree, the growing of amenity (non-edible) plants, trees and crops. Suitability of outdoor green spaces can also be improved through site additions, such as soil conditioning, raised beds,

or polytunnel and glass house construction, the latter being useful for seedling production or year round growing. However, we acknowledge the potential of non-green space growing options, and the inclusion of these would likely increase the horticultural productive potential estimate here substantially, particularly for leafy green vegetables, soft fruit and tomato crops that are well suited to indoor/rooftop environments.

In an effort to critically review how green spaces are understood in the context of food and plant production and which spaces are regarded as 'usable green space'; we note that Kabisch and Haase (2013) broadly regard green spaces as any vegetation found in the urban environment, which include parks, open spaces, residential gardens, or street trees. They also recognize the potential to create green spaces in 'non-green spaces' through demolition of building and artificial structures, de-sealing of soils and re-use of brownfield sites. Daniels *et al* (2018) recognize that green spaces may differ in their extent of natural and artificial elements, and therefore their benefits from a multidimensional perspective should be considered cautiously. In their analysis Tyrväinen *et al* (2007) showed that green space classifications are strongly influenced by social perceptions. A comprehensive review (Rupprecht *et al* 2015) showed that certain green spaces (e.g. naturally vegetated spaces or highly managed spaces), although receiving more attention were not the only types of green spaces. They found an absence of a formal definition of green spaces and instead a myriad of typologies or 'hybrid states' to categorize green spaces that can be based on land tenure, conservation, maintenance regimes, use, regulation, and legitimacy. This is thought to make the definition of green spaces overwrought with uncertainty (McLain *et al* 2014).

In our analysis we used a data set at the scale of GB (England, Wales and Scotland) that encompassed green spaces with both artificial and natural elements (see: www.ordnancesurvey.co.uk/xml/codelists/OpenFunctionValue.xml). We considered all green spaces as potentially suitable spaces for UA, unless they were water bodies, foreshores or beaches. This was regarded on the basis that artificial elements could be removed, surfaces unsealed, buildings demolished or brownfield sites reclaimed (Kabisch and Haase 2013). This OS Master Map Green space product (Ordnance Survey 2017) was used to delineate urban green spaces across the UK. The areal limits of this dataset only extend to the countries of GB, thus we constrained our analysis to these countries. This dataset categorizes the natural environment in major urban areas across both public and private spaces and uses the British National Grid spatial reference system to describe the easting and northing coordinates of urban green spaces in units of meters. The Master Map Green space layer is made up of a subset of the topographic area polygons

from OSMM topography layer identified by a unique identifier (TOID). Each polygon (land parcel) has been assigned a primary function and form and, in certain cases, secondary functions and forms. This initial dataset, imported into ArcGIS Pro comprised 33 354 035 rows of data across several attribute tables. After filtering to remove water bodies (inland water, foreshores and beaches) seen as spaces unsuitable for urban growing, the data was exported as .csv files and merged into a MySQL database for data cleaning. Duplicates were searched by generating data queries against the unique TOID to remove identical rows of data and a final dataset for analysis was produced (see load-log provided as supplementary data available online at stacks.iop.org/ERL/17/014052/mmedia).

In the final dataset, 18 categories remained of green space suitable for outdoor urban horticulture from the OS data, based on their primary function categorization (figure 1).

2.3. Quantification of potential urban horticultural production

Selecting crops for UA is influenced by a wide range of factors including considerations of land and soil suitability, requirements in terms of crop inputs and labor (Edmondson *et al* 2019, McDougall *et al* 2019, Lal 2020). In this study, we used current domestic horticultural production as a representative guide to the crops that are both relatively suited to the biophysical growing conditions of GB and the food preferences of its residents. Hence, to produce a shortlist of crops for inclusion we analyzed data from UK Horticulture statistics from DEFRA (2019). This yielded six main FF&V categories: (a) orchard fruit, (b) soft fruit, (c) roots and onions, (d) brassicas, (e) legumes, and (f) others (including peppers and salad greens), which we included in our analysis (table 1). We acknowledge that certain soil and climate factors can make areas more suited to particular crop categories. However, in urban settings, conditions can be more easily manipulated through the use of physical barriers against wind, hail and pest damage or the use of rain water harvesting in water supply; hence, we maintain this simple assumption that these would be the main crop types produced.

We explored three options (table 2) for the allocation of growing space to the six crop categories: (a) an equal split where each polygon was divided equally between the six FF&V categories described above (total production per land allocation was described as the 'Equal-Split option'); (b) a split proportionate to domestic production, where each polygon was divided to match the area of land currently under commercial FF&V production in the UK, as reported by DEFRA (2019) (breakdown by crop category was described as the 'Domestic-Production option'), and (c) a split based on economic value where each polygon was divided according to the crop value of each crop category in the DEFRA (2019) dataset. Scenario

(a), then, represents the baseline option, scenario (b) assumes that UA crops would be shaped by similar market, policy and biophysical conditions that conventional horticulture growers experience, and (c) assumes that high value crops are more desirable as they can be sold at a premium price so more are grown, but all crops are still included for diversity of production (breakdown by economic value was described as the 'Price-Value option').

We assumed production in these areas would be equivalent to the national domestic average as indicated by the DEFRA statistics to estimate the yield per area for outdoor urban green spaces. Using data from a 20 year period (1996–2015), we summarized the yields for the six crop categories per unit area of land (table 1). We averaged this over 20 years to remove year-on-year variability, after first examining the data trends to ensure there were no substantial systematic changes in productivity over the 20 year period. Likewise, we tabulated the average value for each of these crops, per unit area.

2.4. Estimating the relevance of urban horticultural production to national FF&V self-sufficiency

In order to estimate the relevance of potential urban horticulture to national scale food system resilience, we compared the yield estimates as described in section 2.3 to the quantity of food imported into the GB. In line with our production estimate methodology, we used DEFRA's 2019 horticulture data on imports for the same time period (2006–2015) and organized these data into the same six broad crop categories described above. Where there were FF&V categories that did not correspond to the six domestic crop categories (e.g. avocados, bananas, grapes, and sweet potatoes) we included these into exotic fruit and exotic vegetable categories. They represented imports that were not suitable for GB production at scale, but are nonetheless important contributors to overall supply of FF&V.

Next, to understand how much food could be produced if all green spaces were substituted for UA, the total horticultural productive potential under three options for sub-allocation of crops (table 2) in urban green spaces were calculated, as described in section 2.3.

2.5. City-scale comparison of horticultural productive potential

To examine the distribution of urban green spaces within small, medium and large urban towns and cities across GB and understand the productive potential compared to their total extent and populations, green spaces were extracted within the boundaries of major cities, towns and settlements in England, Wales and Scotland at 26 locations. These represented different climate and socio-economic areas of GB, and excluded London which was regarded to be an anomaly due to its population size. We summarized the




Figure 1. Characteristics of green space in GB. (a) Comparison of the green spaces in GB by total area and as a cumulative percentage of the total green space area (in km²) across England, Wales and Scotland. (b) Total number of land parcels in each category and their mean area (in m²).

green spaces and horticultural productive potential within the boundaries of these GB towns, and compared these to population sizes for these settlements (Office National Statistics 2019), in order to explore the degree to which urban areas have differing green

space characteristics and urban horticultural production potential. To generate a figure of yield potential under the ‘Equal-Split’ option, we divided total yield across the green spaces by population size, providing an estimate of yield per person in kilograms.

Table 1. Categories of FF&V produced in the UK classified in line with DEFRA horticulture categories (DEFRA 2019), calculated as 20 year average output in tons per hectare ($T\ ha^{-1}$), area devoted to production (ha) and value ($\pounds\ ha^{-1}$).

FF&V categories (total)	Mean domestic production ($T\ ha^{-1}$)	Area (ha)	Area as a % of total	Value ($\pounds\ million\ ha^{-1}$)
Orchard fruit	17	19 983	12%	0.0066
Soft fruit	11	8954	6%	0.0279
Roots and onions	45	29 648	18%	0.0086
Brassicas	17	29 879	19%	0.0065
Legumes	4	55 125	34%	0.0014
Others	21	17 026	11%	0.0135

Table 2. FF&V production in MT per year ($MT\ yr^{-1}$) under different production options and 20 year average domestic production and imports.

FF&V categories	Urban greenspace production potential ($MT\ yr^{-1}$)			Domestic production ($MT\ yr^{-1}$)	Import ($MT\ yr^{-1}$)	Domestic + imports ($MT\ yr^{-1}$)
	Equal	Domestic	Price			
Orchard fruit	3.313	2.385	1.988	0.341	0.791	1.132
Soft fruit	2.144	0.772	5.531	0.102	0.061	0.163
Roots and onions	8.770	9.471	6.841	1.334	0.356	1.690
Brassicas	3.313	3.777	1.988	0.508	0.172	0.680
Legumes	0.780	1.590	0.094	0.234	0.042	0.276
Others	4.093	2.701	5.157	0.365	1.168	1.534
Exotic fruit	—	—	—	—	47.825	47.825
Exotic veg	—	—	—	—	5.989	5.989
Total FF&V	22.412	20.697	21.597	2.885	56.404	59.290

Table 3. Datasets and format used in the geographical information system analysis.

Dataset	Format
UK Horticulture statistics 2019. Department of Environment, Food and Rural Affairs	Excel Spreadsheet
Ordnance Survey 2019. OS Master Map Greenspace. accessed from Digimap.edina.ac.uk	Geography Mark-up Language (GML)
Major Towns and Cities 2015. Accessed from Office of National Statistics	Shape file
Settlements 2016. Accessed from NRSScotland.gov.uk	Shape file

The boundaries for England and Wales were defined using the major towns and cities dataset from the Office of National Statistics, and the Settlements shape file from the National Records (NRS) was used for Scotland (table 3). Towns and cities were categorized into small, medium and large cities and shown in figure 3 based on their population and area size.

3. Results

3.1. Urban green spaces available for horticultural production


Figure 1 provides a breakdown of the types of urban green space in GB, showing the total number of

land parcels along with mean parcel sizes. These data highlight that more than half of these urban green spaces were contained in just two categories: private gardens (34%) and amenity areas for residential or business purposes (23%) (percentages in figure 1(a)). Allotments or community gardens, that are currently managed as productive spaces for UA within the urban framework of towns and cities, make up about 1% of urban green space nationally.

The data also highlighted that whilst private gardens made up the largest total area, this area comprised many relatively small spaces (figure 1(b)). Recreational spaces and parks tended to have much greater mean areas per land parcel, and in total, they contributed to a moderate proportion (>10%) of the total GB green space.

3.2. Potential production of FF&V in urban green spaces at GB scale compared with conventional domestic production and imports

A similar total tonnage of FF&V is produced under all three crop-allocation options, but with differences in the production for each category of FF&V (table 2). At its upper limit, we estimated that urban green space could support production of 20.70–22.41 metric tons (MT) of FF&V per year in GB, if all urban green spaces were utilized and expected average crop yields were achieved. This compared with total average annual domestic production of 2.89 MT and imports of 56.40 MT. Hence, the estimates for potential urban production equated to 35%–38%



of total domestic production and imports. Comparing only the categories of FF&V that are suitable for production in GB (i.e. excluding exotic FF&V categories), then our estimates indicated that urban green space could produce between 3.8 and 4.1× the total FF&V produced domestically (table 2). Examining the production estimates on a crop category basis (figure 2(b)), the total production potential for each crop sub-allocation option exceeded imports and domestic production, apart from exotic FF&V categories, which are purposefully excluded from the urban production estimates. Results of this analysis are presented in figure 2.

3.3. Variation in green space and in horticulture productive potential per capita between cities across GB

We found that total productive green space area as a proportion of the total urban land area varied between 43% and 57% across the selected locations (table 4). By including the population data of towns and cities, and quantifying the amount of food that could be produced under the 'Equal-Split option' we estimated productivity per person varied between 171 and 281 kg per annum across towns and cities (table 4). When this is compared to the recommended daily intake of FF&V, recommended by the WHO and

Table 4. Summary of population size, land area (km²), green space (km²), calculated productive potential for FF&V in MTs and productivity per person in kg for 26 GB towns and cities, based on the Equal-Split option. Town size classification based on population size: large >500 000, medium >100 000, small <100 000.

Size classification based on population size	GB town or city	Country	Population size	Total area in km ²	^a Green area in km ²	Total productive potential for FF&V (MT)	Potential productivity of FF&V per person (Kg)
Large	Birmingham	England	1160 254	229.13	126.01	224.3	192.2
Large	Edinburgh	Scotland	524 930	125.11	71.79	127.8	242.1
Large	Liverpool	England	586 889	123.31	63.74	113.4	192.2
Large	Bristol	England	577 246	112.46	57.74	102.8	177.1
Large	Leeds	England	511 164	111.63	59.42	105.7	205.8
Large	Cardiff	Wales	354 178	71.38	34.13	60.7	170.6
Medium	Aberdeen	Scotland	228 670	69.44	36.39	64.8	281.7
Medium	Nottingham	England	315 987	62.5	33.75	60.1	189.1
Medium	Plymouth	England	265 792	59.73	29.98	53.3	199.6
Medium	Newcastle upon Tyne	England	287 535	57.9	29.03	51.7	178.7
Medium	Swansea	Wales	185 460	49.08	25.88	46.1	247
Medium	Middlesbrough	England	177 354	49.01	27.77	49.4	277.1
Medium	Bournemouth	England	197 383	40.26	23.13	41.2	207.4
Medium	Sunderland	England	174 807	39.14	18.06	32.1	182.8
Medium	Cambridge	England	148 861	37.62	20.25	36	240.7
Medium	Newport	Wales	136 078	34.72	16.03	28.5	208.5
Medium	York	England	164 369	33.7	16.98	30.2	182.9
Medium	Gateshead	England	122 249	30.17	14.63	26	211.8
Medium	Exeter	England	125 819	27.33	13.52	24.1	190.2
Small	Darlington	England	93 305	22.55	10.85	19.3	205.9
Small	Stockton-on-Tees	England	84 492	21.73	11.09	19.7	232.2
Small	Stirling	Scotland	94 210	21.01	10.69	19	200.8
Small	Burton upon Trent	England	77 536	20.54	9.49	16.9	216.7
Small	Bedford	England	93 378	20.17	10.34	18.4	196
Small	Carlisle	England	74 889	18.92	8.49	15.1	200.7
Small	St Albans	England	87 749	18.66	10.37	18.5	209.2

^a The calculation of green space area excludes inland water, foreshores and beaches, and therefore this may vary from other reported figures for land area in these towns and cities. Population data source: ONS (2019).


FAO (400 g d⁻¹ or 146 kg yr⁻¹), we determine that if all green space was committed to urban growing, local residents could produce more than enough FF&V to meet their personal dietary requirement.

In our subset of 26 GB towns and cities (figure 3), we found that private gardens, which are the most abundant green space category, vary as a percentage of productive green space between 41% and 69% of green space, with the Scottish towns and cities (Aberdeen, Edinburgh and Stirling) tending to have less space attributed to private gardens. In this subset of GB towns and cities; amenity and residential areas make up between 8% and 22% of green spaces and allotments and community gardens make up between 0% and 2.6% of green space, and this looks slightly different to the national picture.

4. Discussion

This study presents the first national level assessment of horticulture productive potential in urban green

spaces, providing evidence that may support the adoption of urban horticulture as a tool to increasing national food self-sufficiency, which may in turn build system resilience and food sovereignty. One way urban food growing contributes to food system resilience (Olsson *et al* 2016) is by enhancing food production as part of multifaceted urban land use, and this in-turn re-couples agriculture to the regional food system. This can happen through incentives and spatial planning to access urban land, provision of local food markets, and networks to link supply chain actors. There are however challenges relating to production inefficiencies, labor and resource use (McDougall *et al* 2019). These will need to be addressed in ensuring UA becomes a viable diversification option for food production. For example, social sustainability tends to be low due to the seasonal, temporary nature of agricultural work (Mitaritonna and Ragot 2020) which may lead to poor rights and participation of workers (Molinero-Gerbeau *et al* 2021). There are also food safety risks from pesticides and



heavy metal pollutants in urban environments (Mok *et al* 2014, McDougall *et al* 2019).

This national scale case study addresses a current research and policy gap (Fox-Kämper *et al* 2018, Orsini *et al* 2020) by carrying out an analysis relevant to the scale of national policy making. This is timely,

as the UK's food system has come under pressure from political, health and labor issues in recent times (Schramski *et al* 2019, Garnett *et al* 2020), motivating governments and society to reconsider where and how food is produced in the UK. While issues around food insecurity and disruptions to food supply are

heightened in the UK by reliance on imports, urbanization, COVID-19, and Brexit, the UK is not an exclusive case. Some studies have shown increasing concern for disruptions to national food supply chains and knock on impacts to food production cycles (e.g. Brazil, the Middle East) and price volatility (e.g. South Africa), and even household food insecurity (e.g. China) (Devereux *et al* 2020, Pu and Zhong 2020).

The spatial analysis of urban green spaces at the national level revealed that over half of green spaces in urban areas are made up of private gardens and privately-held land used for amenity gardens, with only a small fraction $\sim 1\%$ of green space currently being used formally for food growing (i.e. allotments and community gardens). This finding suggests that if expansion of UA was to be implemented as a national priority, instruments that promote and enable food growing in private spaces and households would be important to consider. Although this would need to take heed of the organizational differences of UA in terms of beneficiaries, distribution channels and actors (i.e. self-growing/socio-cultural/commercial) (Krikser *et al* 2016). This could constitute the provision of incentives to incorporate sufficient growing space into new residential developments, offering tax rebates or growing subsidies to property owners who engage in, or allow the use of, urban land parcels for urban growing, as well as education schemes, advice networks, and campaigns targeting urban growers specifically (e.g. an extension of 'Dig for Britain', 'Pick for Britain' or 'Clap for the NHS'). The latter would also address the risk of agricultural supply disruptions due to labor shortages across rural and urban locations. However, incentivizing production in private spaces may exacerbate social inequities, as this is an opportunity only available to those with space. If public money is used, the mechanisms by which food produced privately could produce public goods would be important to consider.

However, a case could also be made that publicly held green spaces, such as parks, might be attractive options to local authorities for supporting urban food growing activities given that these spaces are more likely to be in their direct control. Consistent declines in funding due to austerity measures has significantly decreased national budget allocations to local councils across Britain, impacting their budget to manage green space, and this has already encouraged individuals and communities to take on an increased responsibility for local services (Whitten 2019). Furthermore, the larger land parcel sizes of parks mean that they may provide more space to accommodate growing projects at scale (particularly for social or commercial enterprises), with less likelihood of light shading drawbacks and a better concentration of resources (e.g. skilled labor or transport), which may pose a challenge where sites are smaller and more dispersed in a city.

Our analysis suggests that urban green space at the GB level has the capacity to support production of nationally significant volumes of FF&V, helping to re-orient food systems to produce more food locally, increase food sovereignty and support food system resilience. These estimates of horticulture productive potential should be considered as being near to the extreme upper limit for production in GB urban green spaces where all space is utilized well, growers have sufficient skills, knowledge and resources to support effective production, and growing conditions are suitable (e.g. climate, soil, light). In reality, realizing this productive potential is contingent on uptake of urban growing by local stakeholders, ease of access to green spaces and resource supports in the form of finance, knowledge and institutional capital (Schupp *et al* 2016, Mead *et al* 2021b). Nonetheless, our results indicate that further consideration of urban green spaces as potential contributors to meaningful levels of FF&V supply at a national scale are warranted. For example, even if only a small percentage of this area is agronomically suitable and available, this could still represent a substantial contribution to national supplies of FF&V.

This national scale assessment also allowed for an estimate of current levels of urban FF&V production in spaces devoted to food growing. We estimated that the space dedicated to allotments and community growing across GB may currently support production of FF&V equivalent to $\sim 0.01\%$ of domestic commercial production. Urban production of FF&V is likely to be higher than this figure as this neglects growing undertaken in private residential settings, institutional grounds, and other settings. Other smaller scale studies have shown that 1.5% of allotment land can support 3% of the fresh food needs of an urban population (Edmondson *et al* 2020b).

We also analyzed and mapped the food production potential across small, medium, and large cities to provide a better understanding of how productive potential might vary across urban centers nationally, and how potential might compare to the size of local populations where locally grown FF&V is more likely to be consumed (figure 3 and table 4). We found that total green space area as a proportion of urban extent varied by 12% across the locations selected, and this variation did not appear to be systematically related to town or city size (in terms of land area footprint) (table 4). This is in contrast to the findings of Martellozzo *et al* (2014) in their global scale analysis that suggested smaller towns, which are more abundant, would have greater potential for urban growing.

Whilst productive potential varied across the urban conurbations studied here, they were all relatively high compared to the dietary needs of the local population. Productivity per person could be as high as 281 kg per annum which is a substantial volume of food per person in dietary terms. By comparison, the FAO and World Health Organization

(WHO) recommend adults consume a minimum of 400 g of fruit and vegetables per day (FAO and WHO 2019), equating to 146 kg yr⁻¹. By our calculation, productivity per person could be as high as 1.9× the recommended yearly fruits and vegetables consumption per person per year (at 281 kg). The estimated upper limit for FF&V production per person in all the locations studied was in excess of this annual recommendation. From a national governance perspective, the town/city scale analysis presented here suggests that policies and mechanisms for incentivizing FF&V growing are likely to be valuable across small, medium and large cities alike and national level approaches could be suitable in the GB context.

In addition to national scale resilience of FF&V supply, increasing UA may confer additional benefits, directly through the provision of ecosystem services (e.g. climate regulation, sequestration benefits), and indirectly by improving well-being, through diet quality and connection to nature (Clinton *et al* 2018, Kingsley *et al* 2021, Mead *et al* 2021a, Evans *et al* under review). Furthermore, because the scale of production in UA is often small, FF&V tend to be sold or consumed locally, and this contributes to local food production and resilience, replacing purchases of imported food. This is known as import substitution (Rodrigues 2010, Ershova and Ershov 2016). Although import substitution, as a development theory, promotes productivity and economic gains at a national level, Bellows and Hamm (2001) showed that import substitution can promote local autonomy and sustainable development at a localized food system level, and this proximity to UA may in-turn encourage positive dietary behaviors in local people (Mead *et al* 2021a).

4.1. Limitations

This analysis made assumptions in order provide a simple, nation-wide basis for estimation of yields. However, we acknowledge that there are limitations to the approach as yields will rely on climatic factors, nutrient availability, soil type, access to light, pest and disease pressure and grower skill levels which have not been considered in our analysis. From this perspective, our analysis of horticulture productive potential may be considered an upper-estimate.

Our predictions also assumed that urban growers are capable of achieving the same yields as conventional growers. This could be viewed as a limitation, however, this assumption aligns with studies showing that urban horticultural production systems may yield higher than commercial field settings (McDougall *et al* 2019, Edmondson *et al* 2020a, Kingsley *et al* 2021), due in part to land management approaches which enhance ecosystem service provisions and improve soil quality (Edmondson *et al* 2014). Urban horticultural production environments such as allotments may have a greater input

of manual labor hours which when combined with complementary cropping can facilitate ‘over-yielding’ (McDougall *et al* 2019). Yet alternative evidence (Cook *et al* 2012) suggests that yields may be lower in allotment settings with a greater diversity of crops.

As the study focuses on yield as a measure of productive potential, we also do not consider the infrastructure requirements post-production. For example, storage and processing facilities would be needed to accommodate increased production, and would help avoid post-harvest loss and improve availability throughout the year.

In a food production context Krikser *et al* (2016) highlight that there may be different typologies of UA related to form and function, and their characteristics of space, market orientation, financing, products and activities. They identify these dimensions of UA as self-supply, socio-cultural or commercial. We do not attempt to address horticultural production at this level of complexity, as it appears more suited to analysis at a more local (e.g. city) scale.

5. Conclusion

This study provided the first national scale analysis of the role that expanding UA in green spaces could play in increasing both the production of FF&V, and national food system resilience and sovereignty. We found that urban green spaces are substantially underutilized for urban food production, with opportunities for coordinated campaigns and financial incentives to stimulate the productive utilization of urban land as a resource for food production. The presence of publicly held land within the urban green space network in the form of amenity gardens managed by local councils could play a crucial role in building knowledge and social capacity for UA. With allotments and community gardens already supporting a network of committed and knowledgeable gardeners, a rich source of knowledge and skills is already present in urban areas which can be leveraged to provide technical support to other members of the public, as a way of encouraging engagement in urban growing. The relative homogeneity of urban green spaces across towns and cities of different land and population size, suggests that UA potential is independent of demographic and economic factors, and that if only a proportion of the population engage in UA, the productive output in terms of meeting healthy dietary guidelines could be significant. This provides another avenue for national policy makers to achieve efforts to tackle diseases like obesity, diabetes, and heart disease, while addressing systemic issues like household food poverty in the process. This evidence suggested that as well as an environmental incentive to the uptake of urban growing, there may be an economic and social motivation for supporting UA.

Data access statement

The data used in performing the analysis is based on publicly available data sources listed clearly in the manuscript. Ordnance Survey data was obtained under an OS Digimap License agreement with Lancaster University. Supplementary information has been included with this manuscript.

Ethics statement

No human or animal subjects were used in this research and ethical approval was not required.


Acknowledgments

Thanks are extended to Professor Tim Hess and Chloe Sutcliffe for assistance with processes of DEFRA domestic production and import data. We also thank Robert Ellis and Kevin Walsh for their help in merging, cleaning and storing the data in a MySQL database. This research was funded through the Global Food Security's 'Resilience of the UK Food System Programme', with support from BBSRC, ESRC, NERC and Scottish Government as part of the Rurban Revolution project (BB/S01425X/1).

Conflict of interest

B R M has received funding to their institution from WW (formerly Weight Watchers International) for her PhD studentship. C A H has received research funding from the American Beverage Association. C A H has received speaker fees from the International Sweeteners Association for work outside of the submitted manuscript. L E W carried out the research as a postdoctoral research associate at Lancaster University, funded by BBSRC, ESRC, NERC and Scottish Government as part of the Rurban Revolution project (BB/S01425X/1).

ORCID iD

Lael E Walsh  <https://orcid.org/0000-0002-4163-171X>

References

- Barthel S, Isendahl C, Vis B N, Drescher A, Evans D L and van Timmeren A 2019 Global urbanization and food production in direct competition for land: leverage places to mitigate impacts on SDG2 and on the Earth System *Anthropocene Rev.* **6** 71–97
- Bellows A C and Hamm M W 2001 Local autonomy and sustainable development: testing import substitution in more localized food systems *Agric. Human Values* **18** 271–84
- Benke K and Tomkins B 2017 Future food-production systems: vertical farming and controlled-environment agriculture *Sustain.: Sci. Pract. Policy* **13** 13–26
- Cabannes Y and Marocchino C (eds) 2018 *Integrating Food into Urban Planning* (Rome: UCL Press)
- Castillo S R, Winkle C R, Krauss S, Turkewitz A, Silva C and Heinemann E S 2013 Regulatory and other barriers to urban and peri-urban agriculture: a case study of urban planners and urban farmers from the greater Chicago metropolitan area *J. Agric. Food Syst. Commun. Dev.* **3** 155–66
- Clinton N, Stuhlmacher M, Miles A, Uludere Aragon N, Wagner M, Georgescu M, Herwig C and Gong P 2018 A global geospatial ecosystem services estimate of urban agriculture *Earth's Future* **6** 40–60
- Cook H F, Lee H and Perez-vazquez A 2012 Allotments, plots and crops in Britain *Continuous Productive Urban Landscapes* (Oxford: Routledge) 206–15
- Daniels B, Zaunbrecher B S, Paas B, Ottermanns R, Ziefle M and Roß-Nickoll M 2018 Assessment of urban green space structures and their quality from a multidimensional perspective *Sci. Total Environ.* **615** 1364–78
- de Ruiter H, Macdiarmid J I, Matthews R B, Kastner T and Smith P 2016 Global cropland and greenhouse gas impacts of UK food supply are increasingly located overseas *J. R. Soc. Interface* **13** 20151001
- DEFRA 2019 *Horticultural Statistics—2018* (London: DEFRA)
- Devereux S, Béné C and Hoddinott J 2020 Conceptualising COVID-19's impacts on household food security *Food Secur.* **12** 769–72
- Dimbleby H 2021 *National Food Strategy: the Plan* (National Food Strategy) (available at: www.nationalfoodstrategy.org/) (Accessed 28 July 2021)
- Eaves J and Eaves S 2018 Comparing the profitability of a greenhouse to a vertical farm in Quebec *Canadian J. Agric. Econ. /Revue Canadienne D'agroéconomie* **66** 43–54
- Edmondson J L, Blevins R S, Cunningham H, Dobson M C, Leake J R and Grafius D R 2019 Grow your own food security? Integrating science and citizen science to estimate the contribution of own growing to UK food production *Plants People Planet* **1** 93–97
- Edmondson J L, Childs D Z, Dobson M C, Gaston K J, Warren P H and Leake J R 2020a Feeding a city—Leicester as a case study of the importance of allotments for horticultural production in the UK *Sci. Total Environ.* **705** 135930
- Edmondson J L, Cunningham H, Tingley D O D, Dobson M C, Grafius D R, Leake J R, McHugh N, Nickles J, Phoenix G K and Ryan A J 2020b The hidden potential of urban horticulture *Nat. Food* **1** 155–9
- Edmondson J L, Davies Z G, Gaston K J and Leake J R 2014 Urban cultivation in allotments maintains soil qualities adversely affected by conventional agriculture *J. Appl. Ecol.* **51** 880–9
- Ershova I and Ershov A 2016 Development of a strategy of import substitution *Proc. Econ. Finance* **39** 620–4
- Evans D L, Falagán N, Hardman C A, Kourmpetli S, Liu L, Mead B R and Davies J A C in press Urban greening or growing? An integrative review of ecosystem service delivery in green infrastructure and urban agriculture *Ecosyst. Serv.*
- FAO and WHO 2019 *Sustainable Healthy Diets—Guiding Principles* (Rome: Food and Agriculture Organisation)
- FAO 2021 *Urban Food Agenda* Food and Agriculture Organisation (available at: www.fao.org/urban-food-agenda/en/) (Accessed 21 June 2021)
- Fox-Kämper R, Wesener A, Munderlein D, Sondermann M, McWilliam W and Kirk N 2018 Urban community gardens: an evaluation of governance approaches and related enablers and barriers at different development stages *Landsc. Urban Plan.* **170** 59–68
- Gao J and O'Neill B C 2020 Mapping global urban land for the 21st century with data-driven simulations and shared socioeconomic pathways *Nat. Commun.* **11** 1–12
- Garnett P, Doherty B and Heron T 2020 Vulnerability of the United Kingdom's food supply chains exposed by COVID-19 *Nat. Food* **1** 315–8
- Grafius D R, Edmondson J L, Norton B A, Clark R, Mears M, Leake J R, Corstanje R, Harris J A and Warren P H 2020 Estimating food production in an urban landscape *Sci. Rep.* **10** 1–9

- Grafton R Q, Daugbjerg C and Qureshi M E 2015 Towards food security by 2050 *Food Secur.* **7** 179–83
- Hess T, Chatterton J, Daccache A and Williams A 2016 The impact of changing food choices on the blue water scarcity footprint and greenhouse gas emissions of the British diet: the example of potato, pasta and rice *J. Clean. Prod.* **112** 4558–68
- Hess T and Sutcliffe C 2018 The exposure of a fresh fruit and vegetable supply chain to global water-related risks *Water Int.* **43** 746–61
- Ingram J 2017 Food system resilience *Food Sci. Technol.* **31** 21–23
- IPCC 2018 Global warming of 1.5 °C. An IPCC Special Report on the impacts of global warming of 1.5 °C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty ed V Masson-delmotte et al (Switzerland: IPCC) 616 accepted (available at: www.ipcc.ch/site/assets/uploads/sites/2/2019/06/SR15_Full_Report_High_Res.pdf)
- Kabisch N and Haase D 2013 Green spaces of European cities revisited for 1990–2006 *Landsc. Urban Plan.* **110** 113–22
- Kingsley J, Egerer M, Nuttman S, Keniger L, Pettitt P, Frantzeskaki N, Gray T, Ossola A, Lin B and Bailey A 2021 Urban agriculture as a nature-based solution to address socio-ecological challenges in Australian cities *Urban Forest. Urban Green.* **60** 127059
- Krikser T, Piorr A, Berges R and Opitz I 2016 Urban agriculture oriented towards self-supply, social and commercial purpose: a typology *Land* **5** 28
- Kummu M, Kinnunen P, Lehikoinen E, Porkka M, Queiroz C, Rööß E, Troell M and Weil C 2020 Interplay of trade and food system resilience: gains on supply diversity over time at the cost of trade independency *Glob. Food Secur.* **24** 100360
- Lal R 2020 Home gardening and urban agriculture for advancing food and nutritional security in response to the COVID-19 pandemic *Food Secur.* **1**–6
- Lang T and Barling D 2012 Food security and food sustainability: reformulating the debate *Geogr. J.* **178** 313–26
- Lang T, Lewis T, Marsden T and Millstone E 2018 Feeding Britain: food security after Brexit
- Lang T and McKee M 2018 Brexit poses serious threats to the availability and affordability of food in the United Kingdom *J. Public Health* **40** e608–10
- Larson N, Laska M N and Neumark-Sztainer D 2020 Food insecurity, diet quality, home food availability, and health risk behaviors among emerging adults: findings from the EAT 2010–2018 study *Am. J. Public Health* **110** 1422–8
- Leroy J L, Ruel M, Frongillo E A, Harris J and Ballard T J 2015 Measuring the food access dimension of food security: a critical review and mapping of indicators *Food Nutr. Bull.* **36** 167–95
- Lovell S T 2010 Multifunctional urban agriculture for sustainable land use planning in the United States *Sustainability* **2** 2499–522
- Marchand P, Carr J A, Dell'Angelo J, Fader M, Gephart J A, Kummu M, Magliocca N R, Porkka M, Puma M J and Ratajczak Z 2016 Reserves and trade jointly determine exposure to food supply shocks *Environ. Res. Lett.* **11** 095009
- Martellozzo F, Landry J, Plouffe D, Seufert V, Rowhani P and Ramankutty N 2014 Urban agriculture: a global analysis of the space constraint to meet urban vegetable demand *Environ. Res. Lett.* **9** 064025
- McDougall R, Kristiansen P and Rader R 2019 Small-scale urban agriculture results in high yields but requires judicious management of inputs to achieve sustainability *Proc. Natl Acad. Sci.* **116** 129–34
- McLain R J, Hurley P T, Emery M R and Poe M R 2014 Gathering 'wild' food in the city: rethinking the role of foraging in urban ecosystem planning and management *Local Environ.* **19** 220–40
- Mead B R, Christiansen P, Davies J A, Falagán N, Kourmpetli S, Liu L, Walsh L and Hardman C A 2021a Is urban growing of fruit and vegetables associated with better diet quality and what mediates this relationship? Evidence from a cross-sectional survey *Appetite* **163** 105218
- Mead B R, Davies E B, Davies J, Falagán N, Kourmpetli S, Liu L, Walsh L and Hardman C A 2021b A qualitative analysis of perceived opportunities and barriers to engaging in urban agriculture *Appetite* **157** 104878
- Misselhorn A, Aggarwal P, Ericksen P, Gregory P, Horn-Phathanothai L, Ingram J and Wiebe K 2012 A vision for attaining food security *Curr. Opin. Environ. Sustain.* **4** 7–17
- Mitaritonna C and Ragot L 2020 *Policy Brief* (www.cepii.fr/PDF_PUB/pb/2020/pb2020-33.pdf) (Accessed 20 November 2021)
- Mok H-F, Williamson V G, Grove J R, Burry K, Barker S F and Hamilton A J 2014 Strawberry fields forever? Urban agriculture in developed countries: a review *Agron. Sustain. Dev.* **34** 21–43
- Molinero-Gerbeau Y, López-Sala A and Serban M 2021 On the social sustainability of industrial agriculture dependent on migrant workers. Romanian workers in Spain's seasonal agriculture *Sustainability* **13** 1062
- National Farmers' Union of England and Wales 2017 Vision for the future of farming *A New Outlook on International Trade. Delivering for Farmers and for the Public* (Warwickshire: National Farmers' Union of England and Wales (NFU)) 12
- Nicholls E, Ely A, Birkin L, Basu P and Goulson D 2020 *Sustain. Sci.* **15** 1585–99
- Office National Statistics 2019 *Towns and Cities in the UK* (available at: https://geoportal.statistics.gov.uk/searchcollection=Dataset&sort=name&tags=BDY_TCITY%2CDEC_2015) (Accessed 31 March 2021)
- Olsson E G A, Kerselaers E, Søderkvist Kristensen L, Primdahl J, Rogge E and Wästfelt A 2016 Peri-urban food production and its relation to urban resilience *Sustainability* **8** 1340
- Ordnance Survey 2017 *OS MasterMap Greenspace Layer Technical Specification V1.0*. (Edina: University of Edinburgh: OS Digimap Licence)
- Orsini F, Kahane R, Nono-Womdim R and Gianquinto G 2013 Urban agriculture in the developing world: a review *Agron. Sustain. Dev.* **33** 695–720
- Orsini F, Pennisi G, Michelon N, Minelli A, Bazzocchi G, Sanyé-Mengual E and Gianquinto G 2020 Features and functions of multifunctional urban agriculture in the global north: a review *Front. Sustain. Food Syst.* **4** 562513
- Pu M and Zhong Y 2020 Rising concerns over agricultural production as COVID-19 spreads: lessons from China *Glob. Food Secur.* **26** 100409
- Rodrigues M 2010 Import substitution and economic growth *J. Monet. Econ.* **57** 175–88
- Rupprecht C D, Byrne J A, Garden J G and Hero J-M 2015 Informal urban green space: a trilingual systematic review of its role for biodiversity and trends in the literature *Urban Forest. Urban Green.* **14** 883–908
- Satterthwaite D, McGranahan G and Tacoli C 2010 Urbanization and its implications for food and farming *Phil. Trans. R. Soc. B* **365** 2809–20
- Schramski J R, Woodson C B, Steck G, Munn D and Brown J H 2019 Declining country-level food self-sufficiency suggests future food insecurities *BioPhys. Econ. Resour. Qual.* **4** 1–9
- Schupp J L, Som Castellano R L, Sharp J S and Bean M 2016 Exploring barriers to home gardening in Ohio households *Local Environ.* **21** 752–67
- Tendall D, Joerin J, Kopainsky B, Edwards P, Shreck A, Le Q B, Krütli P, Grant M and Six J 2015 Food system resilience: defining the concept *Glob. Food Secur.* **6** 17–23

- Tyrväinen L, Mäkinen K and Schipperijn J 2007 Tools for mapping social values of urban woodlands and other green areas *Landsc. Urban Plan.* **79** 5–19
- UN Department of Economic and Social Affairs 2018 *World Urbanisation Prospects* UN Department of Economic and Social Affairs, Population Dynamics (available at: <https://population.un.org/wup/Country-Profiles/>) (Accessed 31 March 2021)
- Whitten M 2019 Blame it on austerity? Examining the impetus behind London's changing green space governance *People Place Policy* **12** 204–24
- Wittman H 2011 Food sovereignty: a new rights framework for food and nature? *Environ. Soc.* **2** 87–105